

MANTINANCE FREE FLX BRAND BATTERIES



KOREA TECHNOLOGY



CALCIUM⁺



**FLX
Batteries**

Complete protection against
reduction of sulfuric acid
Consistent starting performance
Longer lifetime achieved

**DIN75 MF
12V 75AH**

MAINTENANCE FREE BATTERY

SUPER POWER DEPENDABLE PERFORMANCE

MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES




MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES




MANTINANCE FREE FLX BRAND BATTERIES

Start Battery Specification

New Type	Standard	Voltage	Capacity (Ah)at 20HR	CCA	Battery Dimension (mm)				Approx Weight with Acid	Terminals	Cell Lay-outs
					L	W	H	TH			
35 Ah Batteries											
36D20	NS40	12	32	300	196	129	201	222	9.5±0.5	B	2
36D20	NS40(L)	12	32	300	196	129	201	222	9.5±0.5	B	1
36B20L	NS40Z(L)	12	36	300	196	129	201	222	10.1±0.5	B	1
36B20R	NS40Z	12	36	300	196	129	201	222	10.1±0.5	B	2
32C24R	N40	12	40	315	238	129	201	222	11.7±0.5	A	2
32C24L	N40L	12	40	315	238	129	201	222	11.7±0.5	A	1
46B24R	N50	12	45	400	238	129	201	222	12.2±0.5	A	2
46B24L	N50L	12	45	400	238	129	201	222	12.2±0.5	A	1
55B24R	NX100-55	12	45	400	238	129	201	222	12.2±0.5	A	2
55B24L	NX100-55L	12	45	400	238	129	201	222	12.2±0.5	A	1
48D26R	N50	12	50	460	259	172	203	225	15.9±0.5	A	2
48D26L	N50L	12	50	460	259	172	203	225	15.9±0.5	A	1
55D26R	N50Z	12	60	500	259	172	203	225	16.3±0.5	A	2
55D26L	N50ZL	12	60	500	259	172	203	225	16.3±0.5	A	1
65D26R	N570	12	65	520	259	172	203	225	16.1±0.5	A	2
65D26L	N570L	12	65	520	259	172	203	225	16.1±0.5	A	1
75D26R		12	65	520	259	172	203	225	16.1±0.5	A	2
75D26L		12	65	520	259	172	203	225	16.1±0.5	A	1
80D26R	NX110-5	12	68	540	259	172	203	225	17.6±0.5	A	2
80D26L	NX110-5L	12	68	540	259	172	203	225	17.6±0.5	A	1
55D23L		12	60	500	230	172	203	225	15.5±0.5	A	1
75D23L		12	65	520	230	172	203	225	16.2±0.5	A	1
65D31R	N70	12	70	560	305	172	203	225	19.6±0.6	A	2
65D31L	N70L	12	70	560	305	172	203	225	19.6±0.6	A	1
75D31R	N70Z	12	75	620	305	172	203	225	20.2±0.6	A	2
75D31L	N70ZL	12	75	620	305	172	203	225	20.2±0.6	A	1
95D31R	NX120-7	12	80	660	305	172	203	225	20.9±0.6	A	2
95D31L	NX120-7L	12	80	660	305	172	203	225	20.9±0.6	A	1
105D31R	N100A	12	95	720	409	174	207	229	25.4±0.6	A	2
95E41R	N100	12	100	800	409	174	207	229	26.2±0.6	A	2
105E41R	N100Z	12	105	800	409	174	207	229	26.9±0.6	A	2
Truck Batteries											
	N120A	12	110	850	508	185	196	217	30.3±0.8	A	4
115F51	N120	12	120	900	509	185	196	217	31.0±0.8	A	4
130Q51	N135	12	135	950	509	185	196	217	31.6±0.8	A	4
145Q51	N150	12	150	1000	510	216	196	217	35.2±0.8	A	4
	N165	12	165	1050	510	216	196	217	37.4±0.8	A	4
	N170	12	170	1050	510	216	196	217	38.5±0.8	A	4
160H52	N180	12	180	1100	510	216	196	217	39.2±0.8	A	4
190H51	N200	12	200	1220	508	260	205	227	49.5±0.5	A	4
DIN Batteries											
L2400	DIN45	12	45	400	241	174	190	190	12.9±0.5	A	1
	DIN50	12	50	420	241	174	190	190	13.5±0.5	A	1
	DIN55	12	55	450	241	174	190	190	14.2±0.5	A	1
	DIN62	12	62	520	241	174	190	190	14.8±0.5	A	1
56012	DIN66	12	66	530	277	174	190	190	16.0±0.5	A	1
	DIN70	12	72	600	277	174	190	190	16.6±0.5	A	1
	DIN75	12	75	620	277	174	190	190	17.2±0.5	A	1
57117	DIN80	12	80	660	277	174	190	190	17.8±0.5	A	1
	DIN71	12	71	560	277	174	175	175	16.4±0.5	A	1
58827	DIN88	12	88	680	353	174	190	190	21.5±0.6	A	1
	DIN100	12	90	700	353	174	190	190	22.8±0.6	A	1
59043	DIN80	12	80	600	315	174	190	190	19.0±0.6	A	1
DC Batteries											
58500		12	48	460	239	173	157	179	12.6±0.5	A	2
		12	42	420	239	173	157	179	12.0±0.5	A	2
		12	55	480	230	172	152	203	13.9±0.5	A	2

Notice:



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



MANTINANCE FREE FLX BRAND BATTERIES



